From: Mark Christiansen
To: Zeller, Erin
Subject: Re: PCB Pipe Shipments
Date: Wednesday, February 06, 2019 10:34:41 PM

Erin,

I misspoke when I said Clean Harbors. We send these pipes to US Ecology. I was just asking a general inquiry about why the pipes have to be cut to four feet. Yvette has taken on answering my question. Thanks!

Sent from my iPhone

On Feb 6, 2019, at 3:46 PM, Zeller, Erin <erin.zeller@veolia.com> wrote:

[External Email - Be careful! DO NOT open attachments or click links from unknown senders or unexpected email.]

Hi Mark -

I believe we were told the specific dimensions that the landfill would accept. You mention incineration. Would you prefer that we send additional pipe for incineration instead? We do not use Clean Harbors because Veolia has our own TSCA incinerator in TX. Let me know if I can help further - thanks!

Erin Zeller
Account Manager
Industrial Business
VEOLIA NORTH AMERICA

+1 602 233 2955 / tel +1 602 725 8037 / cell +1 602 415 3030 / fax
5736 W. Jefferson St.
Phoenix AZ 85251
erin.zeller@veolia.com
www.veolianorthamerica.com

For prepaid recycling of fluorescent lamps, ballast, batteries and more, visit **www.prepaidrecycling.com**

For packaging instructions and guidance, click to **Download Packaging Guidance**

Receive Veolia's Environmental Buzz E-Newsletter, click to **Subscribe**

On Wed, Feb 6, 2019 at 1:41 PM Roberts, Yvette <yvette.roberts@veolia.com>

wrote:

> Hi.
>
> When this was shipped last year from CSU, is shows the material on a pallet.
>
> Waste Stream: PCB Pipe
>
> Facility Location: 1521 Hancock Expressway, Colorado Springs, CO 80903
>
> TSDF: US Ecology, Beatty, NV
>
> Hours of Operation: 7:00 am – 3:30 pm
>
> Shipping Container Information: PCB pipe (190 kilograms) on a 4' x 4' wooden pallet
>
> I have also attached the shipping manifest and other relevant information which I will provide to the driver upon pickup (Attachment: PCB Pipe Manifest (US Ecology) & PCB Pipe Shipping Information (US Ecology))
>
> Regards,
>
> Yvette Roberts
> Customer Service Administrator
> *Industrial Business*
> *VEOLIA NORTH AMERICA*
> tel +1 602 233-6891
> fax +1 602 415 3030 / Toll Free 800/368-9095
> 5736 West Jefferson Street / Phoenix, AZ 85043
>
> **Yvette. Roberts@Veolia.com**
> **www.veolianorthamerica.com**
>
> **For prepaid recycling of fluorescent lamps, ballast, batteries and more, visit www.prepaidrecycling.com**
>
> **For packaging instructions and guidance, click to Download Packaging Guidance**
> **Receive Veolia's Environmental Buzz E-Newsletter, click to Subscribe**
>
> *"Recycling..making our world a better place"*
>
> On Wed, Feb 6, 2019 at 1:18 PM Mark Christiansen <mchristiansen@csu.org> wrote:
>
> > Yvette,
> >
> > My name's Mark Christiansen and I'm in the environmental group with Chris Genuardi, Michelle Wills-Hill, Donene Dillow, and Ann Burdett at Colorado Springs Utilities.

I had a question about the size of the PCB pipe you transport for CSU. Are we required to cut the pipe down to fit on a pallet because that's how you have to transport the pipe or do we cut the pipe down to fit in the incinerator at Clean Harbors?

Thanks,

Mark Aagard Christiansen

Colorado Springs Utilities- Regulatory Services

Sr. Environmental Technician

Work: (719) 668-4443

Cell: (719) 367-2900

Email: mchristiansen@csu.org

121 South Tejon Street

P.O. Box 1103, MC 940

Colorado Springs, CO 80903

CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have received this email message in error, please notify the sender and then delete the message (and any attachments) from your computer and/or network. Thank you.

CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have received this email message in error, please notify the sender and then delete the message (and any

attachments) from your computer and/or network. Thank you.